

## TENDER – CARIBOU HEIGHTS FOOTBALL FIELD LED LIGHTING UPGRADE

CITY OF MOOSE JAW, SASKATCHEWAN  
JANUARY 18, 2024

### INSTRUCTIONS TO BIDDERS

---

#### ADDENDUM #1

---

#### General

- 1.1 This Addendum forms part of the Contract Documents for this project and is to be read, interpreted, and coordinated with all other parts. These revisions supersede the information contained in the original specifications for the project to the extent referenced and become part of thereof.
  - 1.2 The cost of all work in the Addendum shall be included in the Contract Price.
  - 1.3 Acknowledge receipt of this Addendum by inserting its number and date on the Bid Form. Failure to do so may subject the Bidder to disqualification.
- 

#### Clarifications

- Existing poles shall no longer be removed or relocated; all existing poles will remain as is. All non-LED existing fixtures shall be removed.
- 18 new LED Fixtures, and 6 existing LED Fixtures shall be installed on the existing 10 poles, see **Figure-1 Light Locations** for distribution of fixtures.
- Bidders shall allow for 2 nights to aim lights at football field to achieve even light distribution. Capital Project Coordinator and Operations Managers shall approve final light orientation.
- Drawings of the existing light network cannot be provided due to lack there of.
- Successful Bidder shall not drive any equipment on the field at any time. Successful Bidder shall access south side poles from the south and north side poles from the north.
- Substantial completion has been extended to **Aug 2, 2024**.
- Bids will be opened and evaluated in private. Successful Bidder name and price will be public.

Figure 1 – Light Locations



Red Circle – Existing Pole

Red Number – Indicates number of LED Fixtures on the pole

Red Line – Approximate path of LED Fixture